JGTAI
Journal of Global Trends in Artificial Intelligence

Volume 1, No. 1, June 2025-2026
Available online at: www.jgtai.com

AI-Powered Approaches for Diabetes Detection in Healthcare and Monitoring: A Review of Recent Advances

Prof. (Dr.) Abid Hussain
Professor, School of Computer Application & Technology & Dean, Research
Career Point University
Kota
abid.hussain@cpur.edu.in, dean.research@cpur.edu.in

***Abstract*—Artificial Intelligence (AI) is being investigated more and more in the treatment of diabetes to tailor care for individuals with the disease and modify therapies for complicated presentations. Diabetes is a common condition with a significant chance of complications. According to reports, the number of diabetics globally is rising each. The growing incidence of diabetes worldwide has put a significant strain on healthcare systems, highlighting the need for efficient diagnosis, monitoring, and treatment techniques. New, integrated, tailored healthcare connected to diabetes is, however, inadequately developed. Traditional diagnostic approaches, sometimes limited in scope, do not address the increasing prevalence of diabetes-related comorbidities such as neuropathy, nephropathy, and retinopathy. Recent developments in Artificial Intelligence (AI) and Machine Learning (ML) have made it possible to develop new techniques for diabetes monitoring and diagnosis. This research offers a thorough analysis of AI-powered diabetes treatment strategies, emphasizing important algorithms like Decision Trees (DT), Support Vector Machines (SVM), and Neural Networks (NN). The study also examines how Explainable Artificial Intelligence (XAI) might enhance clinical settings by making AI models more transparent and interpretable. Future directions to increase the efficacy of AI-driven diabetes detection systems are also explored, along with issues like data quality, clinical integration, and user-centred design.**

Keywords*—Diabetes Mellitus, Machine learning approach in diabetes, Challenges in diabetes.

I. Introduction

Healthcare systems across the globe are increasingly burdened by chronic diseases, with diabetes emerging as a major public health challenge. Chronic hyperglycemia is caused by diabetes, a metabolic disease marked by The body's incapacity to regulate blood sugar because to either insufficient insulin production or Type 1 DL insulin resistance Type 2 [1][2]. Long-term health consequences include diabetic foot ulcers, cardiovascular disease, neuropathy, renal failure, and vision impairment. this syndrome can cause emergency problems such as hyperosmolar hyperglycemia and diabetic ketoacidosis if treatment is not received. Additionally, diabetes is a major global cause of premature death.

Diabetes significantly affects the economy. Diabetes-related medical expenses are predicted to reach USD 1.054 trillion by 2045, up from an anticipated USD 966 billion in 2021 [3]. This escalating economic burden highlights the urgent need for more effective and sustainable disease management and early detection strategies [4].

In recent years, digital health technology has demonstrated great potential in tackling the difficulties associated with diabetes [5][6]. The term “digital health” now broadly encompasses innovations such as genomics, mobile health (mHealth) applications, wearables, telemedicine, and most notably, AI and ML [7]. Replicating human intelligence in machines is the aim of AI, an extensive field of computer science. Machine learning (ML), a subset of statistical models and artificial intelligence (AI) algorithms, enables computers to learn from data and improve over time without explicit programming.

Multi-layer neural network topologies are used in Deep Learning (DL), another branch of ML, to automated extraction of high-level characteristics from unprocessed data. DL is especially well-suited for medical diagnostics as it has shown remarkable success in tasks requiring speech recognition, picture classification, and natural language processing (NLP) [8][9]. AI is being utilised to develop diabetes-related systems for risk assessment, early detection, ongoing monitoring, and predictive modelling. These systems will help to improve patient outcomes and enable prompt treatments.

A. *Organization of the Paper*

The following is the structure of the article: Section II provides an overview of diabetes and its complications. Section III discusses AI's application in diabetes diagnosis and tracking. Followed by Explainable AI (XAI) in Section IV, the difficulties in detecting diabetes in Section V, a survey of the literature on the subject in Section VI, and a conclusion outlining future research.

II. Overview Of AI in Diabetes And Its Complications

One of the hallmarks of diabetes mellitus is hyperglycemia, or high blood glucose levels. This frequently indicates uncontrolled diabetes mellitus, which might harm several bodily organs. The incapacity of the pancreas to generate the hormone insulin, which regulates blood glucose levels, results in diabetes mellitus, a chronic illness, or the body's improper utilisation of the insulin that is produced. DM comes in two main forms: Type 1 DM (T1DM) and

© JGTAI 2026, All Rights Reserved

Type 2 DM (T2DM) [10][11]. Type 1 Diabetes Mellitus (T1DM) often affects adolescents and teenagers, typically brought on by inadequate insulin secretion. Additionally, type 2 diabetes, which is characterized by elevated blood sugar levels brought on by bad diet and lifestyle choices, usually affects adults in their middle and older years. The pathophysiology of each kind of diabetes mellitus varies, necessitating distinct therapeutic approaches [12].




Fig. 1. AI in diabetes healthcare and monitoring

A 2-hour oral glucose tolerance test called impaired glucose tolerance (IGT), which is evaluated by both IFG and IGT, can be used to diagnose people with diabetes or pre-diabetes based on their postprandial and fasting blood glucose levels. IGT ranges from greater than 7.8 mmol/L to less than 11.1 mmol/L. The framework also highlights potential AI interventions in health education, therapy, and monitoring for individuals with diabetes in Figure 1.

A. Classification of diabetes disease

The present categorization helps with clinical evaluation of the illness and therapy selection since it is based on the pathophysiology and aetiologic of the disease [13][14][15]. This category includes the four main types of diabetes: gestational diabetes mellitus (GDM), type 1 diabetes mellitus (T1DM), type 2 diabetes mellitus (T2DM), and diabetes that is brought on by or associated with certain diseases, pathologies, and/or syndromes. Figure 2 illustrates the many forms of diabetes mellitus.




Fig. 2. Types of diabetes Mellitus

- **Type 1 diabetes Mellitus:** An autoimmune condition in which the body's immune system mistakenly attacks and destroys the beta cells in the pancreas that produce insulin, leading to insulin insufficiency [16]. Although this kind of diabetes is more frequently observed in children, teenagers, and young adults, it can affect anybody at any age. Insulin is required to treat Type 1 Diabetes mellitus for the rest of one's life.
- **Type 2 Diabetes Mellitus:** It is the most prevalent kind of diabetes, making up over 90% of all cases. The body's cells' inefficient reaction to insulin, or insulin resistance, is one of the main characteristics of type 2 diabetes mellitus. Additionally, the pancreas may eventually run out of insulin to meet the body's needs. Type 2 diabetes mellitus is associated with sedentary lifestyles, obesity, age, and poor lifestyle choices such poor eating habits.
- **Gestational diabetes Mellitus:** a kind of diabetes that develops during pregnancy and frequently goes away after giving delivery. Women who have had GDM in have a higher risk of developing type 2 diabetes. Both the mother and the growing fetus are at higher risk of problems when GDM is present [17].
- **Secondary diabetes Mellitus:** As compared to the total diabetic incidence scenario, apart from type 1 diabetes, type 2 diabetes, and type 3 diabetes, diabetes has also been linked to a number of particular ailments, including several pathologies and/or other disorders, albeit in lesser percentages.

B. Complications of Diabetes

Diabetes is a complicated illness that can lead to long-term issues. The term "mild" diabetes does not exist. Diabetes that is not properly controlled may harm the body, regardless of whether it is treated with medication, injections, or just a good diet and regular exercise. An extended period of high blood glucose can damage both large and small blood vessels [18][19]. The risk of stroke, heart disease, renal disease, and blindness for an individual, nerve damage, and coma rises if their diabetes is managed properly. The following are the most frequent issues that diabetics face (Figure 3).




Fig. 3. Complications of diabetes mellitus

- **Heart and blood vessel disease:** Angina (chest pain) is linked to coronary artery disease, heart attacks, strokes, and atherosclerosis (artery constriction). Diabetes also significantly raises the risk of cardiovascular issues, such as high blood pressure [20][21]. The risk of dying from heart disease and

© JGTAI 20256, All Rights Reserved

stroke is two to four times higher for those with diabetes than for those without the condition.

- **Nerve damage:** The capillary walls, which are small blood vessels that sustain the nerves, especially in the legs, might be harmed by eating too much sugar. Pain, tingling, burning, or numbness may ensue; these symptoms often begin at the tips of the fingers or toes and progress upward.
- **Kidney damage:** To eliminate waste from blood, the kidneys employ millions of small clusters of blood vessels. This delicate filtration mechanism may be compromised in individuals with diabetes. Dialysis or a kidney transplant may be necessary if there is severe damage that results in kidney failure or chronic end-stage renal disease [22].
- **Eye damage:** Diabetes can result in diabetic retinopathy, which damages the blood vessels in the retina and can cause blindness. Diabetes also raises the chance of two additional dangerous eye diseases: glaucoma and cataracts.
- **Foot damage:** A lack of blood flow to the feet or damage to the nerves can cause a variety of foot conditions. Untreated blisters and wounds have the potential to become critically infected. In cases of serious injuries, the toe, foot, or even limb may need to be amputated.
- **Skin and mouth conditions:** Diabetic individuals may be more susceptible to bacterial and fungal infections, among other skin conditions. Furthermore, gum infections might be an issue, particularly if you've previously practiced poor dental hygiene [23].
- **Osteoporosis:** Diabetes can increase the risk of osteoporosis by causing the bone mineral density to drop below normal.

C. *Treatment of Diabetes*

Some of the treatments for diabetes are discussed below:

- **Insulin and hypoglycaemic drugs:** Because nature is so effective at reducing postprandial hypoglycaemia and avoiding hypoglycaemia between meals, insulin treatment should aim to mimic nature 28. Both intramuscular and intravenous insulin injection sites are essential for the medication's safe and effective operation. Human, pig, and cow insulin are among the several forms of insulin that are available.
- **Herbal Treatment of Diabetes:** The increased study in traditional medicine over the last few decades, environmentally friendly plant-based drugs [24]. Bio-friendly, reasonably priced, and typically safe have moved from the periphery to the centre.
- **Pathophysiology:** The pathophysiology of diabetes mellitus includes intricate relationships between lifestyle choices, environmental circumstances, and genetics. In type 2 diabetes, the pancreatic beta cells die due to an autoimmune process, resulting in total insulin insufficiency. Figure 4 depicts the pathophysiology of diabetes mellitus.
- **Blood Glucose monitoring:** In order to properly treat diabetes, blood glucose monitoring entails taking measurements of blood sugar levels. It involves self-monitoring with CGM devices and glucometers. The frequency of monitoring varies; Type 2 diabetes requires individualized management programs, whereas Type 1 diabetes needs several daily checks.




Fig. 4. Pathophysiology of diabetes mellitus

III. AI Techniques for Diabetes Detection and Monitoring

Most diabetic patients now use invasive insulin injections and manual methods, such as fingerstick testing, to check their blood glucose levels. When combined with continuous glucose monitoring devices, 55 AI systems may evaluate real-time glucose data and modify insulin doses as necessary [25][26]. AI techniques for diabetes detection and monitoring can be categorized into several key approaches are as follows, and Figure 5 shows the ML and AI in diabetes.




Fig. 5. ML and AI in Diabetes Research

A. *ML-Based Approach in Diabetes*

The capacity of machine learning algorithms to learn over time without explicit programming is one of their defining characteristics [27]. Problem solving, often based on data categorization, is one of machine learning's primary characteristics. Furthermore, it incorporates studies from a number of fields, including neurology, psychology, philosophy, information theory, probability and statistics, computational complexity theory, and AI. ML techniques include SVM, KNN, LR, and DT. It has all been effectively used in the diabetes sector.

- **Support Vector Machine (SVM):** SVMs are maximum-distance classification techniques. It establishes to separate between the two classes above and below a hyperplane, and the greatest distance between the classifying plane and the closest data points is determined. With a very simple adjustment,

© JGTAI 20256, All Rights Reserved

SVM can do multiclass classification tasks; however, it can only solve binary classification problems in their most basic form. SVM has been utilized in the diagnosis of diabetes and the prediction of prediabetes and diabetic illness.

- **Decision Tree (DT):** An internal node and a leaf node with a class label make up a (DT), a classification technique. Root nodes are the top nodes of the DT [28]. This method's popularity stems from its ease of construction and lack of parameter requirements.
- **K-nearest neighbours (KNN):** One well-liked technique for data classification is the KNN method. With this method, it can determine the distance measurement from N training samples.
- **Logistic regression (LR):** A common statistical model with a probabilistic foundation used for ML classification problems is logistic regression. A logistic function is typically used in LR to assess probability. It works well with datasets that have a lot of dimensions and can be divided linearly.

B. *Deep Learning (DL) Models for Diabetes Prediction*

(DL), It takes medical data and employs neural networks with numerous layers to find complex patterns, and has become a potent method for diabetes prediction [29]. More accurate predictions in diabetes diagnosis and monitoring are made possible by DL Unlike conventional ML methods, from unprocessed data, models can automatically generate hierarchical representations:

- **Artificial Neural Network (ANN):** A group of algorithms known as ANN was created in order to recognise patterns and categorise data. Since inputs are only taken into consideration in the ANN, or forward orientation. The input, hidden, and output layers make up an ANN [30]. The output layer produces the result after it has received and processed the inputs from the hidden layer.
- **Recurrent Neural Network (RNN):** One common type of DL neural network is the RNN model. For learning, RNN runs the backpropagation process across time. When it loops back to the earlier data, it may be designed to handle the data [31]. The input for that particular state comes from the output of the previous one.
- **Convolutional Neural Networks (CNN):** CNN is a widely used backpropagation neural network DL model. The use of convolutional neural networks (CNNs) has been most fruitful in the niche areas of image processing and image recognition, which seek to assess visual images by means of image or video data.
- **Deep Neural Network (DNN):** In some ways, DNNs are modelled after the biological nervous system. Synapses are the connections between the nodes, which are represented as simple functions in artificial neurons as segregated in layers [32]. A self-adaptive, data-driven learning method called DNN creates non-linear models that can handle modelling challenges in the actual world.

IV. Explainable AI (XAI) For Diabetes Detection

XAI methods are crucial for enhancing the transparency and lucidity of diabetes diagnosis algorithms [33]. By employing these techniques, physicians may confirm predictions, learn more about how the framework makes judgments, comprehend the significance of features, and guarantee regulatory compliance.

A. *XAI Technique in Diabetes Detection*

An essential XAI method that finds and prioritises elements according to how they affect model predictions [34]. This method is very useful for detecting diabetes since it identifies important biomarkers and patient information that influence prognoses.

1) *Shapley Additive Explanation (SHAP)*

In XAI techniques, A highly useful tool for figuring out an attribute's exact value in a forecast is SHAP. The SHAP values in Figure 6 show the discrepancy between the expected outcome and the standard model prediction.




Fig. 6. SHAP value prediction in diabetes.

When imposing the condition, the projection of the expected model is based on the SHAP parameters for each attribute. In a feature, the SHAP values for each attribute serve as the basis for the forecasting of the anticipated model.

2) *Local Interpretable Model-Agnostic Explanations (LIME)*

LIME is a model-agnostic approach that may be used with any machine learning framework without requiring an understanding of its inner workings, as shown in Figure 7. It facilitates comprehension and confidence in AI system predictions by bridging the gap between human interpretability and complex models [35]. It's critical to keep in mind that LIME is only one interpretation technique.




Fig. 7. LIME value is generated in diabetes

Figure 7 illustrates the values that LIME assigned to the prediction likelihood: 0.26 for prediabetes or diabetes, and 0.74 for no diabetes. The following are the rules: High BP <= 1.00, High Chol <= 1.00, BMI >31.0, Fruits <= 1.00, Age <= 6.00, NoDocbcCost > 0.00, and GenHlth > 3.00 are on the negative side (left).

© JGTAI 20256, All Rights Reserved

B. XAI Upgradation of Healthcare System

Explainable AI (XAI) is transforming healthcare systems by enhancing transparency, interpretability, and trustworthiness of AI models [36]. It helps doctors understand the logic behind diagnostic and prognosis outcomes, bridging the gap between complex algorithmic systems and medical decision-making. A few of the summarized formats are shown below:

1) Conventional Healthcare System

Chronic illness care and appropriate planning are provided by this healthcare system [37]. This approach achieves the objective of improving patient care by offering a plan for appropriate treatment and care. It may include the following crucial elements:

- Clinical data-based information system; organizational health system
- Design of the treatment system;
- Correct DSS;
- Self-decorum behavior;
- Management of community resources.

2) Obstacles with Traditional Healthcare System

It might include a number of significant elements:

- Clinical report errors and omissions;
- Patient financial hardships;
- A dearth of patients who take care of themselves;
- Inadequate training and competence among healthcare professionals.

3) Usage of Explainability

There are some points on usage of explainability as follows:

- XAI may be used with favorable technologies in the following ways to manage chronic health care.
- A decision support system may effectively handle chronic healthcare management since all of its components are explicable.
- In order to properly diagnose chronic illnesses like diabetes, hospitals in places like India must have XAI systems.

V. Challenges And Future Direction In AI Driven Diabetes Detection

It is possible to track the development of diabetes and its evolution from a single to polychronic condition by gathering longitudinal data on the disease. AI might completely change how diabetes is treated. But creating and deploying these AI systems with panel data is not without its difficulties, especially when taking into account the peculiar circumstances of nations like the US and India. A few of these difficulties are explained in further detail below:

A. Data Quality Control

Data quality issues can lead biased model predictions, especially when dealing with rare complications or underrepresented populations [38]. AI systems are developed using a large quantity of real-world health data; model performance is strongly impacted by the data's quality and labeling. Unfair and hazy pictures are examples of poor data quality, inaccurate labels and inadequate data, which indicate that only a small percentage of information has been labelled, are examples of bad data labels.

B. Poor Technology Design

Iterative development and continuous improvement are necessary for AI-based diabetic health technology (DHT) in order to meet user needs. Most DHTs' early iterations are inherently difficult to use, necessitating the use of user-centred design concepts [39]. Potential problems that users could encounter are examined iteratively in accordance with user-centred design principles. Iterative analysis of possible problems that users can encounter is done in accordance with user-centred design principles.

C. Lack of Clinical Integration

As AI becomes more widely used in clinical settings, many academics predict significant changes in clinical practice. To realize their full potential, advanced AI systems must be integrated into digital and clinical operations. Many AI systems have struggled to establish momentum and live up to the promise of improving patient care, despite the fact that more and more of them have been deployed in clinical settings.

D. Privacy Concern

One of the main concerns for the possible future of AI in medicine involves guaranteeing data security and privacy. Algorithms that may reveal the medical condition of a person are prohibited in clinical settings due to the pervasive problems with hacking worldwide [40][41]. Further impeding privacy protection is the growing possibility that a person's identify may be ascertained using face recognition or genetic sequences from large databases.

E. Patient and Clinician Attitudes

Endocrinology and the use of autonomous technologies that utilize data treatment are heavily influenced by the opinions of physicians and patients. A new comprehensive analysis of how patients feel about clinical [42]. AI discovered that people were generally positive and eager to participate.

VI. Literature Review

A survey of the literature on the difficulties and developments in diabetes monitoring and detection with AI methods is given in this section. Table I provides an overview of the examined papers.

Shahi, Wahi and Dwivedi (2024), The condition known as a major worldwide health concern, Diabetes mellitus emphasizes the need of early identification and care. It offers a novel approach for diabetes forecast in healthcare utilizing Convolutional Neural Network (CNN) algorithms. Leveraging a diverse dataset encompassing various health parameters, including demographic information, medical history, and clinical measurements, their CNN model demonstrates high accuracy in predicting diabetes risk. Their findings suggest promising applications of deep learning techniques in proactive disease management within healthcare systems [43].

Prajapati, Hihoriya and Verma (2023), Diabetes, a chronic ailment, affects millions of people globally. Blood pressure, glucose levels, BMI, pregnancy, and other variables can all contribute to this complicated illness. In order to prevent and control diabetes, finding those who are susceptible to the illness is crucial. Random forest algorithms are used to build classification models, which have a greater accuracy than other algorithms. Because of the model's

© JGTAI 20256, All Rights Reserved

unsatisfactory accuracy, the authors used ensemble learning techniques including boosting, bagging, and averaging. They found that compared to the other methods, the averaging strategy had a smaller error. Research aids in early detection and illness prediction in the medical industry [44].

Ataya et al. (2023), Recent advances utilize LSTM neural networks within ensemble learning frameworks to improve the identification of T1DM patients' meal disruptions. These AI models analyze sequential (CGM) data spanning 120 minutes to classify glucose profiles for meal intake detection. A UVA-PADOVA T1DM evaluation. In the simulator, these ensemble models perform well (mean c-statistic: 75.12%–79.52%) and exhibit rapid identification (mean detection time: 7.08–12.84 minutes). This method is a prime example of how AI-powered strategies enhance real-time diabetes care monitoring and management [45].

Ataya (2023), Diabetes impairs a body's capacity to produce insulin, which results in inappropriate gluconeogenesis and high blood sugar levels. (ML) plays an important role in predicting several occurrences and detecting illnesses. Because of this, machine learning approaches are excellent at predicting diabetes illness. The well-known LR, k-NN, SVM, RF, XGBoost, and LGBM were selected for diabetes prediction in this study. To determine which algorithm in the clinical decision system is the most beneficial, a comparison analysis of algorithmic performance is conducted. The LGBM classifier in the experiment detects diabetes with the best accuracy (88.5%) [46].

Shampa, Islam and Nesa (2023), In order to reduce the severity and related risk factors, early identification of diabetes is essential. By using the data at hand to generate precise predictions, ML algorithms have become important tools in the prediction of diabetes. highlight how boosting machine learning methods, such as AdaBoost, CatBoost, Gradient Boost, and XGBoost, may be used to predict diabetes using Bangladesh data. The study also notes that when analyzing diabetic data, simple models like Random Forests and Decision Trees work satisfactorily. helps advance knowledge of diabetes prediction by the analysis of datasets from many nations. Early diabetes identification and treatment can improve patient outcomes and public health in general [47].

Fiska et al. (2022) (DM) is a biochemical illness that impacts millions of individuals worldwide. Continuous glucose monitoring (CGM), a crucial part of diabetic care, can dramatically lower the risk of hyperglycemia in DM patients when paired with closed-loop automated drug administration systems. However, medication infusion and invasive glucose testing methods are often required for this kind of therapy. Sweat is regarded as one of the most important biofluids because of its unique characteristics for non-invasive CGM applications. Extensive research is being conducted to develop A sweat-based, safe closed-loop technology that would give patients pleasant, efficient diabetes treatment and monitoring [48].

TABLE I. SUMMARY OF A LITERATURE STUDY ON AI-BASED DIABETES DETECTION AND MONITORING

Author(s) and Year	Challenge	Methodology	Key Findings	Limitations	Future Work
Shahi, Wahi, and Dwivedi (2024)	Early prediction of diabetes using diverse health parameters.	Convolutional Neural Network (CNN)	The CNN approach uses scientific, healthcare, and socioeconomic information to predict the probability of diabetes with excellent accuracy.	Dataset diversity may limit generalizability.	Expansion of dataset to include more diverse populations.
Prajapati, Hihoriya, and Verma (2023)	Identifying at-risk individuals using clinical data.	Random Forest, Ensemble Learning (Averaging, Bagging, Boosting)	Averaging method in ensemble learning outperforms other methods with reduced error rates.	Model accuracy is not satisfactory for all cases.	Testing other ensemble learning techniques to further reduce errors.
Ataya (2023)	identifying irregular eating patterns in people with Type 1 Diabetes.	(LSTM) networks, Ensemble Learning	Ensemble models achieve mean c-statistic of 75.12%-79.52% with timely detection (7.08-12.84 mins).	Limited to simulated CGM data; lacks real-world validation.	Integration of real-world CGM data for model evaluation.
Ataya (2023)	Comparing ML algorithms for diabetes prediction.	Logistic Regression, k-NN, SVM, Random Forests, XGBoost, Light GBM	Light GBM achieves highest accuracy (88.5%) in diabetes prediction.	Potential overfitting in Light GBM model.	Application of cross-validation techniques to prevent overfitting.
Shampa, Islam, and Nesa (2023)	Early diabetes detection using ML algorithms.	Boosting Algorithms (AdaBoost, Cat Boost, XGBoost, Gradient Boost)	Boosting algorithms perform well on the Bangladesh dataset, with XGBoost showing the highest accuracy.	Limited dataset scope; focuses on one region.	Inclusion of multi-country datasets for more comprehensive analysis.
Fiska et al. (2022)	Non-invasive CGM monitoring for diabetes management.	Sweat-based closed-loop monitoring system	Proposes sweat-based system for glucose monitoring, reducing invasive procedures.	Prototype stage; lacks clinical validation.	Development of a clinically validated closed-loop system

VII. CONCLUSION AND FUTURE WORK

Diabetes continues to impose a substantial health and economic burden globally, necessitating advanced strategies for effective detection and management. With forecasting factors, data-driven methods that can enhance early identification, pinpoint patients at increased risk, and facilitate targeted treatments, AI-powered technologies show great potential in tackling this issue. But even with AI's enormous promise, issues like data quality, model interpretability, and clinical integration continue to be major roadblocks to successful deployment. To overcome these obstacles, it is necessary to create reliable, transparent, and explainable AI models that empower medical professionals to make well-informed choices. Future efforts should prioritize algorithmic refinement, interdisciplinary collaborations, and patient-centric designs to maximize the clinical utility of AI frameworks in diabetes management, eventually lowering issues and enhancing patient outcomes.

© JGTAI 20256, All Rights Reserved

In order to ensure accuracy and transparency in clinical settings, future research should concentrate on creating strong, explainable AI models specifically designed for diabetes diagnosis and monitoring. Integrating AI systems with existing healthcare infrastructure will be vital for seamless data exchange and real-time decision support. Additionally, addressing data quality issues through standardized data collection and incorporating diverse patient populations can improve model generalizability. Emphasis should also be placed on privacy-preserving AI techniques to mitigate security risks. The practical application and adoption of AI-driven diabetes management paradigms may be further improved by cooperation between healthcare policymakers, doctors, and AI researchers.

REFERENCES

[1] E. M. M. Gkrinia and A. Belančić, "A Narrative Review on the Risk Factors and Healthcare Disparities of Type 2 Diabetes," *Diabetology*, vol. 6, no. 4, 2025, doi: 10.3390/diabetology6040025.

[2] S. Singamsetty, "Healthcare IoT Security: Examining Security Challenges and Solutions in the Internet of Medical Things. A Bibliometric Perspective," *J. Popul. Ther. Clin. Pharmacol.*, vol. 31, no. 8, pp. 1761–1806, Aug. 2024, doi: 10.53555/7j8dhs24.

[3] V. Kolluri, "An Innovative Study Exploring Revolutionizing Healthcare with AI: Personalized Medicine: Predictive Diagnostic Techniques and Individualized Treatment," *Int. J. Emerg. Technol. Innov. Res.*, vol. 3, no. 11, pp. 2349–5162, 2016.

[4] M. Khalifa and M. Albadawy, "Artificial intelligence for diabetes: Enhancing prevention, diagnosis, and effective management," *Computer Methods and Programs in Biomedicine Update*. 2024. doi: 10.1016/j.cmpbup.2024.100141.

[5] M. Phongying and S. Hiriote, "Diabetes Classification Using Machine Learning Techniques," *Computation*, vol. 11, no. 5, p. 96, May 2023, doi: 10.3390/computation11050096.

[6] S. Singamsetty, "Neurofusion: Advancing Alzheimer's Diagnosis with Deep Learning and Multimodal Feature Integration," *Int. J. Educ. Appl. Sci. Res.*, vol. 8, no. 1, pp. 23–32, 2021.

[7] Z. Guan *et al.*, "Artificial intelligence in diabetes management: Advancements, opportunities, and challenges," *Cell Reports Med.*, vol. 4, no. 10, 2023, doi: 10.1016/j.xcrm.2023.101213.

[8] S. Pahune and N. Rewatkar, "The Expanding Function of Generative AI and Large Language Models in Healthcare," 2024, doi: 10.13140/RG.2.2.16736.90888.

[9] R. Q. Majumder, "Machine Learning for Predictive Analytics: Trends and Future Directions," *Int. J. Innov. Sci. Res. Technol.*, vol. 10, no. 4, pp. 3557–3564, 2025.

[10] V. Mayya, R. N. V. P. S. Kandala, V. Gurupur, C. King, G. T. Vu, and T. T. H. Wan, "Need for an Artificial Intelligence-based Diabetes Care Management System in India and the United States," *Heal. Serv. Res. Manag. Epidemiol.*, vol. 11, 2024, doi: 10.1177/23333928241275292.

[11] S. S. S. Neeli, "The Convergence of AI and Database Administration in Revolutionizing Healthcare," *ESP Int. J. Adv. Comput. Technol.*, vol. 2, no. 4, pp. 150–153, 2024, doi: 10.56472/25838628/IJACT-V2I4P119.

[12] O. Ojo, "An Overview of Diabetes and its Complications," *Diabetes Res. - Open J.*, vol. 2, no. 2, 2016, doi: 10.17140/droj-2-e005.

[13] M. Z. S. Banday Aga S; Nissar, Saniya, "Pathophysiology of diabetes: An overview," *Avicenna J Med*, vol. 10, no. 04, pp. 174–188, 2020, doi: 10.4103/ajm.ajm_53_20.

[14] R. P. Mahajan, "Improvised Diabetic Retinopathy Detection Accuracy in Retinal Images Using Machine Learning Algorithms," *TIJER – Int. Res. J.*, vol. 12, no. 03, pp. b155–b161, 2025.

[15] V. Kolluri, "Revolutionizing Healthcare Delivery: The Role of AI and Machine Learning in Personalized Medicine and Predictive Analytics," *Well Test. J.*, vol. 33, no. 02, 2024.

[16] A. A. Yameny, "Diabetes Mellitus Overview 2024," *J. Biosci. Appl. Res.*, vol. 10, no. 3, pp. 641–645, 2024, doi: 10.21608/jbaar.2024.382794.

[17] R. P. Mahajan, "Development of Predictive Models for Early Detection of Alzheimer's Disease Using Machine Learning," *Int. J. Curr. Eng. Technol.*, vol. 15, no. 2, pp. 115–123, 2025.

[18] U. S. Das, K. H. Pande, M. J. Phule, S. Parisar, and A. Road, "An overview of diabetes mellitus," pp. 161–178, 2013.

[19] S. Singamsetty, "Retinal Twins: Leveraging Binocular Symmetry with Siamese Networks for Enhanced Diabetic Retinopathy Detection," *Turkish Online J. Qual. Inq.*, vol. 11, no. 4, pp. 2843–2850, 2020.

[20] D. Rao and D. S. Sharma, "Secure and Ethical Innovations: Patenting Ai Models for Precision Medicine, Personalized Treatment, and Drug Discovery in Healthcare," *Int. J. Bus. Manag. Vis.*, vol. 6, no. 2, 2023.

[21] S. S. S. Neeli, "Heart Disease Prediction For A Cloud-Based Smart Healthcare Monitoring System Using Gans And Ant Colony Optimization," *Int. J. Med. Public Heal.*, vol. 14, no. 4, 2024, doi: : 10.70034/ijmedph.2024.4.223.

[22] H. Zainab, A. Raza, A. Khan, M. I. Khan, and A. Arif, "Ethical Considerations and Data Privacy Challenges in AI-Powered Healthcare Solutions for Cancer and Cardiovascular Diseases," *Glob. Trends Sci. Technol.*, vol. 1, no. 1, pp. 63–74, 2025.

[23] S. Pandya, "Predicting Diabetes Mellitus in Healthcare: A Comparative Analysis of Machine Learning Algorithms," *Int. J. Curr. Eng. Technol.*, vol. 13, no. 06, 2023, doi: 10.14741/ijcet/v.13.6.5.

[24] T. Rama Rao and G. N. Tejomurtula, "Diabetes Mellitus: A Review," *Int. J. Med. Sci. Pharma Res.*, vol. 10, no. 2, pp. 5–9, 2024, doi: 10.22270/ijmspr.v10i2.97.

[25] S. R. Sagili, C. Goswami, V. C. Bharathi, S. Ananthi, K. Rani, and R. Sathya, "Identification of Diabetic Retinopathy by Transfer Learning Based Retinal Images," in *2024 9th International Conference on Communication and Electronics Systems (ICCES)*, IEEE, Dec. 2024, pp. 1149–1154. doi: 10.1109/ICCES63552.2024.10859381.

[26] S. A. Pahune, "A Brief Overview of How AI Enables Healthcare Sector Rural Development," 2024, doi: 10.13140/RG.2.2.16675.63525.

[27] S. Pandya, "Predictive Modeling for Cancer Detection Based on Machine Learning Algorithms and AI in the Healthcare Sector," *TIJER – Int. Res. J.*, vol. 11, no. 12, 2024.

[28] M. A. Makroum, M. Adda, A. Bouzouane, and H. Ibrahim, "Machine Learning and Smart Devices for Diabetes Management: Systematic Review," *Sensors*, vol. 22, no. 5, 2022, doi: 10.3390/s22051843.

[29] S. B. Shah, "Artificial Intelligence (AI) for Brain Tumor Detection: Automating MRI Image Analysis for Enhanced Accuracy," *Int. J. Curr. Eng. Technol.*, vol. 14, no. 06, Dec. 2024, doi: 10.14741/ijcet/v.14.5.5.

[30] S. Pandya, "Integrating Smart IoT and AI-Enhanced Systems for Predictive Diagnostics Disease in Healthcare," *Int. J. Sci. Res. Comput. Sci. Eng. Inf. Technol.*, vol. 10, no. 6, Dec. 2024, doi: 10.32628/CSEIT2410612406.

[31] E. Afsaneh, A. Sharifdini, H. Ghazzaghi, and M. Z. Ghobadi, "Recent applications of machine learning and deep learning models in the prediction, diagnosis, and management of diabetes: a comprehensive review," *Diabetol. Metab. Syndr.*, vol. 14, no. 1, 2022, doi: 10.1186/s13098-022-00969-9.

[32] L. Fregoso-Aparicio, J. Noguez, L. Montesinos, and J. A. García-García, "Machine learning and deep learning predictive models for type 2 diabetes: a systematic review," *Diabetol. Metab. Syndr.*, vol. 13, no. 1, p. 148, 2021, doi: 10.1186/s13098-021-00767-9.

[33] N. Patel, "Quantum Cryptography in Healthcare Information Systems: Enhancing Security in Medical Data Storage and Communication," *J. Emerg. Technol. Innov. Res.*, vol. 9, no. 8, pp. g193–g202, 2022.

[34] R. Dattangire, D. Biradar, and A. Joon, "AI-Enhanced U-Net for Accurate Low-Grade Glioma Segmentation in Brain MRI: Transforming Healthcare Imaging," in *2024 Third International Conference on Electrical, Electronics, Information and*

© JGTAI 20256, All Rights Reserved

Communication Technologies (ICEEICT), IEEE, Jul. 2024, pp. 1–6. doi: 10.1109/ICEEICT61591.2024.10718440.

[35] S. Ahmed, M. Shamim Kaiser, M. S. Hossain, and K. Andersson, "A Comparative Analysis of LIME and SHAP Interpreters with Explainable ML-Based Diabetes Predictions," *IEEE Access*, vol. PP, p. 1, 2024, doi: 10.1109/ACCESS.2024.3422319.

[36] K. Patel and S. Gupta, "Evaluating Machine Learning Based Automatic Quality Assurance of Magnetic Resonance Images in Healthcare System," in *2024 2nd International Conference on Advances in Computation, Communication and Information Technology (ICAICCIT)*, 2024, pp. 443–449. doi: 10.1109/ICAICCIT64383.2024.10912290.

[37] R. Ganguly, D. Singh, C. Applications, and B. C. R. E. College, "Explainable Artificial Intelligence (XAI) for the Prediction of Diabetes Management : An Ensemble Approach," vol. 14, no. 7, pp. 158–163, 2023.

[38] S. R. Sagili, S. Chidambaranathan, N. Nallametti, H. M. Bodele, L. Raja, and P. G. Gayathri, "NeuroPCA: Enhancing Alzheimer's disorder Disease Detection through Optimized Feature Reduction and Machine Learning," in *2024 Third International Conference on Electrical, Electronics, Information and Communication Technologies (ICEEICT)*, IEEE, Jul. 2024, pp. 1–9. doi: 10.1109/ICEEICT61591.2024.10718628.

[39] H. Zainab, A. R. A. Khan, M. I. Khan, and A. Arif, "Innovative AI Solutions for Mental Health: Bridging Detection and Therapy," *Glob. J. Emerg. AI Comput.*, vol. 1, no. 1, pp. 51–58, 2025.

[40] R. Unnikrishnan, V. N. Shah, and V. Mohan, "Challenges in diagnosis and management of diabetes in the young," *Clin. Diabetes Endocrinol.*, vol. 2, no. 1, 2016, doi: 10.1186/s40842-016-0036-6.

[41] R. Dattangire, D. Biradar, L. Dewangan, and A. Joon, "Unlocking Healthcare Fraud Detection Using Innovations of Machine Learning Strategies," in *International Conference on Data Science and Big Data Analysis*, 2025, pp. 233–249. doi: 10.1007/978-981-97-9855-1_16.

[42] S. C. Mackenzie, C. A. R. Sainsbury, and D. J. Wake, "Diabetes and artificial intelligence beyond the closed loop: a review of the landscape, promise and challenges," *Diabetologia*, vol. 67, no. 2, pp. 223–235, 2024, doi: 10.1007/s00125-023-06038-8.

[43] A. Shahi, A. Wahi, and A. K. Dwivedi, "Diabetes Prediction in Healthcare Using CNN Algorithm," in *2024 International Conference on IoT, Communication and Automation Technology (ICICAT)*, 2024, pp. 372–376. doi: 10.1109/ICICAT62666.2024.10923198.

[44] Y. R. Prajapati, D. G. Hihoriya, and S. Verma, "Early Detection and Prediction of Diabetes Using Ensemble Classifier," in *2023 14th International Conference on Computing Communication and Networking Technologies (ICCCNT)*, 2023, pp. 1–6. doi: 10.1109/ICCCNT56998.2023.10306942.

[45] M. Athanasiou, K. Zarkogianni, K. Karytsas, and K. S. Nikita, "An LSTM-based Approach Towards Automated Meal Detection from Continuous Glucose Monitoring in Type 1 Diabetes Mellitus," in *2021 IEEE 21st International Conference on Bioinformatics and Bioengineering (BIBE)*, 2021, pp. 1–5. doi: 10.1109/BIBE52308.2021.9635246.

[46] A. H. Ataya, "Early detection of Diabetes using Machine Learning Techniques," in *Proceedings of the 3rd International Conference on Artificial Intelligence and Smart Energy, ICAIS 2023*, 2023. doi: 10.1109/ICAIS56108.2023.10073861.

[47] S. A. Shampa, M. S. Islam, and A. Nesa, "Machine Learning-based Diabetes Prediction: A Cross-Country Perspective," in *2023 International Conference on Next-Generation Computing, IoT and Machine Learning (NCIM)*, 2023, pp. 1–6. doi: 10.1109/NCIM59001.2023.10212596.

[48] V. Fiska, S. Evangelou, N. Giannakeas, A. T. Tzallas, P. Angelidis, and M. G. Tsipouras, "A non-invasive closed-loop diagnostic and therapeutic wearable device for diabetic hyperglycemia prevention: System Architecture," in *2022 7th South-East Europe Design Automation, Computer Engineering, Computer Networks and Social Media Conference (SEEDA-CECNSM)*, IEEE, Sep. 2022, pp. 1–4. doi: 10.1109/SEEDA-CECNSM57760.2022.9933011.

© JGTAI 20256, All Rights Reserved